BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8752**

SAMPLE RECEIVED
September 1, 2026

COA ISSUED
September 7, 2026

SAMPLE INFORMATION

Vendor
Elite Synthetics

Sample Name
KLOW 80mg

Sample Type
Blue lyophilized powder

Lot Number
25044

Molecular Weight
342.4, 403.2, 1419.5, 4964.2 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV, GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	10.75, 51.42, 10.69, 10.39 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.82%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram · Retention Time 1.922, 2.088, 9.084, 9.202 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.